

WORLD FAMOUS

**CHESTNUT**

CANOEES

the canoe that grew with Canada...

THE CHESTNUT CANOE COMPANY LTD. • FREDERICTON, N.B. • PETERBOROUGH, ONT.



### **BOB'S SPECIAL — FEATHERWEIGHT —**

Lightness of weight—development of design make these models leaders for out-tripping and portaging.

### **MOONLIGHT**

Enamelled white exterior with design on the side gives this model plenty of eye appeal.



In the 65 years of manufacturing canoes, Chestnut has developed canoes to suit many and varied uses, from the Freighter canoes supplied to the Canadian North, the Prospector canoes used in exploration, Cruiser canoes for out-tripping and racing, Ogilvy canoes for salmon fishing, to standard pleasure canoes. When you choose a "Chestnut" you select a canoe from the world's largest canoe manufacturer. This is your assurance of quality and variety of choice.

### **THE CHESTNUT WARRANTY**

**The following guarantee made by the Chestnut Canoe Company Limited protects you, The Purchaser.**

*If, on receipt of a canoe or boat, you find it to be defective in any way, except by damage in transportation or after one season's use, defects should develop that were not at first noticeable, the Chestnut Canoe Company will remedy the defects, or, if they are such that they cannot be remedied, will replace the boat or canoe if it is returned to Fredericton, freight prepaid. No other condition or terms of warranty will be valid unless by written consent of the senior officer of the Company.*



## DELUXE MODEL CANOES

The ultimate in workmanship, materials hand picked and used to ensure the best obtainable in quality. The Chestnut Deluxe pleasure canoes are more rugged than lighter weight canoes.

## MOONLIGHT MODEL DELUXE CANOE

Features an attractive enamelled white exterior complete with a red design. Mahogany seats and trim complete its luxurious appearance. A safe, roomy, all round pleasure canoe for cottager or sportsman.

## DELUXE MOULDED MAHOGANY CANOE

In rich mahogany finish, truly a beautiful craft for those who wish the ultimate. Craftmanship, graceful lines, warmth and true beauty of wood are found in this strong but lightweight canoe.

## LIGHTWEIGHT CANOES

The wide beam and flat bottom of Chestnut's pleasure canoes make them extremely stable. Their lightness makes them ideal for portaging. Materials are hand picked for quality, strength and lightness.

## STANDARD MODEL CANOES

Ideal for use where a good serviceable canoe is required for summer resorts, liveries, boys' and girls' camps.

Model Name	Length Beam Depth	Stern Design and Carrying Capacity	Net Weight Lbs.	Weight of Canvas and Standard Equipment	Rib Size and Spacing	Finish
------------	-------------------------	--	-----------------------	---	----------------------------	--------

## PLEASURE CANOES

### Deluxe Models

Moonlight	16' x 36" x 12"	Pointed 700	70	No. 10 canvas. Bow and stern caned seats, 2 thwarts, flat shoe keel, 2 select paddles.	$\frac{3}{8}$ " thick x $1\frac{1}{2}$ " wide spaced $1\frac{1}{2}$ " apart	High gloss white enamel outside with design. Inside decks and gunwales varnished.
Moulded	16' x 36" x 12"	Pointed 700	65	Moulded mahogany plywood.	N/A	Natural varnish.
Feather-weight	11' x 34" x 12"	Pointed 350	35	No. 10 canvas. Bow and centre thwarts, stern caned seat, 2 select paddles, flat shoe keel	$\frac{1}{4}$ " thick x $2\frac{3}{8}$ " wide spaced $1\frac{1}{2}$ " apart	Inside decks and gunwales varnished. Enamelled a high gloss red or green outside.
Bob's Special	15' x 37" x 12"	Pointed 700	55	No. 10 canvas. Bow and stern caned seats, centre thwart, 2 select paddles, and tapered keel	$\frac{1}{4}$ " thick x $2\frac{3}{8}$ " wide spaced $1\frac{1}{2}$ " apart	

### Standard Models

Playmate	14' x 32" x 12"	Pointed 500	60	No. 10 canvas. Bow and stern caned seats, centre thwart, 2 select paddles, flat shoe keel.	$\frac{3}{8}$ " thick x $1\frac{1}{2}$ " wide spaced $1\frac{1}{2}$ " apart	Inside decks and gunwales varnished. Enamelled a high gloss red or green outside.
Chum	15' x 34" x 12"	Pointed 600	65	No. 10 canvas. Bow and stern caned seats, centre thwart, 2 select paddles, flat shoe keel	$\frac{3}{8}$ " thick x $1\frac{1}{2}$ " wide spaced $1\frac{1}{2}$ " apart	
Pal	16' x 36" x 12"	Pointed 700	70	No. 10 canvas. Bow and stern caned seats, 2 thwarts, 2 select paddles, flat shoe keel.	$\frac{3}{8}$ " thick x $1\frac{1}{2}$ " wide spaced $1\frac{1}{2}$ " apart	

See pages 4, 5 and 8 for illustrations.





### Chestnut Canoe Sailing Equipment For Sailing Fun

Adaptable to any craft. Outfit consists of Lateen Sail completely rigged with mast, spars, tackle, mast thwart and step. The Leeboards are fastened to the cross arm by bolts and wing nuts. The cross arm is adjustable to all canoes and is secured by two hook bolts. Steering is accomplished by a paddle or rudder. See price list for detailed items.



Model Name	Length Beam Depth	Stern Design and Carrying Capacity	Net Weight Lbs.	Weight of Canvas and Standard Equipment	Rib Size and Spacing	Finish
------------	-------------------	------------------------------------	-----------------	---	----------------------	--------

### CRUISER CANOES AND GUIDE SPECIALS

The experienced canoeist specifies Chestnut Cruisers and guide specials for their speed, lightness and strength. They are often used in canoe races and on swift and dangerous waters.

Kruger	16' x 34" x 12"	Pointed 600	70	No. 8 canvas. Bow and stern canoe seats, 2 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 2" apart	Inside decks and gunwales varnished. Enamelled grey outside.
Gronje	17' x 35" x 12"	Pointed 650	75	No. 8 canvas. Bow and stern canoe seats, 3 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 2" apart	
Leader	18' x 37" x 12"	Pointed 700	80	No. 8 canvas. Bow and stern canoe seats, 3 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 2" apart	
Boone	16' x 34" x 12"	Pointed 600	75	GUIDES SPECIAL CANOES—No. 8 canvas. Bow and stern canoe seats, 2 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 1 1/2" apart	
Crocket	17' x 35" x 12"	Pointed 650	80	No. 8 canvas. Bow and stern canoe seats, 3 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 1 1/2" apart	
Moses	18' x 37" x 12"	Pointed 700	90	No. 8 canvas. Bow and stern canoe seats, 3 thwarts, 2 select paddles.	3/8" thick x 23/8" wide spaced 1 1/2" apart	

4 Standard equipment as listed under specifications and not necessarily as illustrated. Specifications subject to change.

Model Name	Length Beam Depth	Stern Design and Carrying Capacity	Net Weight Lbs.	Weight of Canvas and Standard Equipment	Rib Size and Spacing	Finish
------------	-------------------	------------------------------------	-----------------	---	----------------------	--------

### FREIGHT CANOES

For many years Chestnut's famous freighters have played a valuable part in Canada's north. They provide the utmost in stability, stamina and satisfaction. Be sure to specify type of stern—Vee or Flat Wide when ordering.

Hudson	17' x 45" x 17"	Vee or Flat Wide 1600	125	No. 6 canvas. Stern seat and 4 thwarts, mast thwart and step for sailing, keel, 2 select paddles.	3/8" thick x 23/8" wide spaced 1 1/4" apart	Deck and gunwales varnished. Enamelled grey inside and out
Bay	18' x 46" x 18"	Vee or Flat Wide 1800	135	No. 6 canvas. Stern seat, 5 thwarts, mast thwart and step for sailing, keel, 2 select paddles.	3/8" thick x 23/8" wide spaced 1 1/4" apart	
Company	19' x 51" x 19"	Vee or Flat Wide 2000	165	No. 6 canvas. Stern seat, 5 thwarts, mast thwart and step for sailing, keel, 2 select paddles.	1/2" thick x 3" wide spaced 1 1/4" apart	
Traffic	20' x 52" x 20"	Vee or Flat Wide 3000	195	No. 4 canvas. Stern seat, 5 thwarts, mast thwart and step for sailing, keel, 2 select paddles.	1/2" thick x 3" wide spaced 1 1/4" apart	
Daddy	22' x 62" x 24"	Vee or Flat Wide 5000	310	No. 4 canvas. Stern seat, 5 heavy thwarts, mast thwart and step for sailing, keel, 6 bilge strips, 2 select paddles.	1/2" thick x 3" wide spaced 1 1/4" apart	



Flat wide Stern

The flat wide stern is generally used in open water transportation whereas the vee stern is more often used for river and stream use.



Vee Stern

5



MOONLIGHT





## CARTOP

This famous Chestnut model has given pleasure to thousands of sportsmen over the years. Its light-weight and durable construction makes it the choice of all the special designed Cartop Boats. Here is a reliable craft light enough to portage that does not crystalize or bend when dragged or knocked against objects in fishing waters. Here is a craft that is easy to maintain and will give years of satisfaction in actual performance.

**SPECIFICATIONS:** Length O.A. — 12'; Beam O.A. — 52"; Depth O.A. — 20"; Short Deck; Weight — 95 lbs.; Carrying Capacity — 550 lbs.; Manufacturer's recommended H.P. — 7.5; Speeds obtainable 12 m.p.h.; Standard Shaft Motor.

**STANDARD EQUIPMENT:** Bow Ring, 1 pair oar lock sockets.

Model Name	Length Beam Depth	Stern Design and Carrying Capacity	Net Weight Lbs.	Weight of Canvas and Standard Equipment	Rib Rise and Spacing	Finish
------------	-------------------	------------------------------------	-----------------	---	----------------------	--------

## PROSPECTOR CANOES

The Chestnut Prospector Canoes are ideal for today's sportsman for use in hunting and fishing. They combine strength, lightness in weight and outstanding carrying capacity. Are still used in development work by mining and pulpwood workers on Canada's last frontier.

Fire	14' x 34" x 13"	Pointed 600	60	No. 8 canvas. Bow and stern slat seats, centre thwart, 2 select paddles	3/8" thick x 2 3/8" wide spaced 2" apart	Inside decks and gunwales varnished. Enamelled grey outside
Elk	14' x 34" x 13"	Vee 600	70	No. 8 canvas. Bow and stern slat seats, 3 thwarts and 2 select paddles, tapered keel.	3/8" thick x 2 3/8" wide spaced 2" apart	
Ranger	15' x 35" x 13 1/2"	Pointed 650	70	No. 8 canvas. Bow and stern slat seats, centre thwart, 2 select paddles	3/8" thick x 2 3/8" wide spaced 2" apart	
Bear	15' x 35" x 13 1/2"	Vee 650	80'	No. 8 canvas. Bow and stern slat seats, 3 thwarts, 2 select paddles, tapered keel	3/8" thick x 2 3/8" wide spaced 2" apart	
Fort	16' x 36" x 14"	Pointed 850	75	No. 8 canvas. Bow and stern slat seats, 2 thwarts, 2 select paddles	3/8" thick x 2 3/8" wide spaced 2" apart	Inside decks and gunwales varnished. Enamelled grey outside
Fawn	16' x 36" x 14"	Vee 850	85	No. 8 canvas. Bow and stern slat seats, 3 thwarts, 2 select paddles tapered keel	3/8" thick x 2 3/8" wide spaced 2" apart	
Garry	17' x 37" x 14 1/2"	Pointed 950	85	No. 8 canvas. Bow and stern slat seats, 3 thwarts, 2 select paddles	3/8" thick x 2 3/8" wide spaced 2" apart	
Marsh	17' x 37" x 14 1/4"	Vee 950	95	No. 8 canvas. Bow and stern slat seats, 4 thwarts, 2 select paddles, tapered keel	3/8" thick x 2 3/8" wide spaced 2" apart	
Voyageur	18' x 38" x 15"	Pointed 1100	90	No. 8 canvas. Bow and stern slat seats, 3 thwarts, 2 select paddles	3/8" thick x 2 3/8" wide spaced 2" apart	
Birch	18' x 38" x 15"	Vee 1100	100	No. 8 canvas. 4 thwarts, bow and stern slat seats, 2 select paddles.	3/8" thick x 2 3/8" wide spaced 2" apart	

## ALL-PURPOSE CANOES

Chestnut craftsmen designed and built these models to serve under many diverse conditions. The flat, square stern accommodates heavier loads and small motors.

Northman	16' x 39" x 13"	Flat Wide 900	95	No. 8 canvas. 2 thwarts, bow, stern, solid seats, tapered keel, 2 select paddles	5/16" thick x 2" wide spaced 2" apart	Green enamel outside. Varnished inside
Northland	18' x 41" x 16"	Flat Wide 1200	110	No. 8 canvas. 2 thwarts, bow, stern solid seats, tapered keel, 2 select paddles		
Sectional	16' x 36" x 14"	Vee 850	115	No. 8 canvas. 2 thwarts, bow and stern slats seat, rubber gasket for seal at bulkheads, 2 select paddles.	3/8" thick x 2 3/8" wide spaced 2" apart	Inside decks and gunwales varnished. Enamelled grey outside



Model Name	Length Beam Depth	Stern Design and Carrying Capacity	Net Weight Lbs.	Weight of Canvas and Standard Equipment	Rib Size and Spacing	Finish
------------	-------------------------	--	-----------------------	---	----------------------------	--------

## OGILVY CANOES

Henry	16' x 36" x 13"	Pointed 850	80	No. 6 canvas. Bow and stern caned seats, 2 thwarts, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	Inside decks and gunwales varnished. Enamelled green or grey outside.
Parr	16' x 36" x 13"	Vee 850	85	No. 6 canvas. Bow and stern caned seats, 3 thwarts, keel, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Dave	18' x 36" x 13"	Pointed 1000	85	No. 6 canvas. Bow and stern caned seats, 4 thwarts, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Grilse	18' x 36" x 13"	Vee 1000	90	No. 6 canvas. Bow and stern caned seats, 5 thwarts, keel, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Jock	20' x 37" x 13"	Pointed 1300	105	No. 6 canvas. Bow and stern caned seats, 4 thwarts, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Pool	20' x 37" x 13"	Vee 1300	110	No. 6 canvas. Bow and stern caned seats, 5 thwarts, keel, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Alex	22' x 39" x 14"	Pointed 1500	130	No. 6 canvas. Bow and stern caned seats, 4 thwarts, 2 select paddles.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	Inside decks and gunwales varnished. Enamelled green gloss outside.
Trout	22' x 39" x 14"	Vee 1500	135	No. 6 canvas. Bow and stern caned seats, 5 thwarts, keel, 2 select paddles, floor boards, outside stems.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Joe	24' x 40" x 14"	Pointed 1800	150	No. 6 canvas. Bow and stern caned seats, 5 thwarts, keelson and keel, 2 select paddles, floor boards, outside stems.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Salar	24' x 40" x 14"	Vee 1800	155	No. 6 canvas. Bow and stern caned seats, 6 thwarts, keel, keelson and 2 select paddles. Floor boards, outside stems.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Chief	26' x 40" x 14"	Pointed 2000	160	No. 6 canvas. Bow and stern caned seats, 5 thwarts, keel, keelson and 2 select paddles. Floor boards, outside stems.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	
Salmo	26' x 40" x 14"	Vee 2000	165	No. 6 canvas. Bow and stern caned seats, 6 thwarts, keel, keelson and 2 select paddles. Floor boards, outside stems.	$\frac{3}{8}$ " thick x 3" wide spaced $\frac{1}{2}$ " apart	

## OGILVY CANOES

One of the main features of the Ogilvy special is its straight flat bottom which makes it the steadiest canoe of its size ever offered. These canoes are used extensively for salmon fishing in rocky, rapid waters.

## LIGHTWEIGHT COMMERCIAL CANOES Bantam, Forest

These Trapper models, the Forest and Bantam, represent canoes designed for one-man or two-man use. Each is safe, easy to paddle and balanced for portaging convenience. The Bantam is built extra light in weight, with a wider beam and is more stable than the majority of small canoes.

## LIGHTWEIGHT COMMERCIAL CANOES

Bantam	15' x 37" x 12"	Pointed 700	55	No. 10 canvas. Bow and stern caned seats, centre thwart, tapered keel, 2 select paddles.	$\frac{1}{4}$ " thick x 2 $\frac{3}{8}$ " wide spaced $1\frac{1}{2}$ " apart	Inside decks and gunwales varnished. Enamelled grey outside.
Forest	12' x 32" x 12"	Pointed 400	50	No. 8 canvas. Bow and stern slat seat, centre thwart, 2 select paddles.	$\frac{3}{8}$ " thick x 2 $\frac{3}{8}$ " wide spaced 2" apart	





**CRUISER CANOE**



**OGILVY CANOE**



**PLEASURE CANOE**

**10 MODELS IN 46 SIZES TO CHOOSE FROM**

**CHOICE OF THE EXPERT CANOEIST**



**USED EXCLUSIVELY IN THE CANADIAN NORTH**

**A MODEL TO SUIT  
YOUR REQUIREMENTS**

Write to CHESTNUT CANOE COMPANY LTD., builder of fine moulded plywood and lapstrake boats, for free boat catalogue.



**PROSPECTOR CANOE**